KIDNEY INTERNATIONAL

Volume 54, Number 1, July 1998

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Société Internationale de Néphrologie

Table of contents

INVITED CONTRIBUTION

About Nephrology Forum. *Thomas E. Andreoli* 1

PERSPECTIVES IN RENAL MEDICINE

Ischemic renal diseases: New insights into old entities. *Alain Meyrier, Gary S. Hill, and Pierre Simon* . 2

PERSPECTIVES IN BASIC SCIENCE

In vitro branching tubulogenesis: Implications for developmental and cystic disorders, nephron number, renal repair, and nephron engineering. *Hiroyuki Sakurai and Sanjay K. Nigam* 14

GENETIC DISORDERS – DEVELOPMENT

Transplantation of developing metanephroi into adult rats. *Sharon A. Rogers, Jeffrey A. Lowell, Nancy A. Hammerman, and Marc R. Hammerman* 27

Obstructive nephropathy in the neonatal rat is attenuated by epidermal growth factor. *Robert L. Chevalier, Sharad Goyal, Jennifer T. Wolstenholme, and Barbara A. Thornhill* 38

Molecular genetics of cystinuria: Mutation analysis of SLC3A1 and evidence for another gene in the Type I (silent) phenotype. *Irfan Saadi, Xing-Zhen Chen, Matthias Hediger, Patricia Ong, Perpetual Pereira, Paul Goodyer, and Rima Rozen* (see Editorial, p 279) 48

Cystinuria subtype and the risk of nephrolithiasis. *Paul Goodyer, Irfan Saadi, Patricia Ong, Gay Elkas, and Rima Rozen* (see Editorial, p 279) 56

HORMONES – CYTOKINES – SIGNALING

Cytokine interactions promote synergistic fibronectin accumulation by mesangial cells. *Izabella Z.A. Pawluczyk and Kevin P.G. Harris* 62

Interleukin (IL)-1 and IL-4 synergistically stimulate NF-IL6 activity and IL-6 production in human mesangial cells. *Yuichi Nakazato, Tomoko Hayashida, Yoshihiko Kanno, Hiroyuki Sasamura, Hirokazu Okada, Hiromichi Suzuki, and Takao Saruta* 71

Regulation of cAMP production in initial and terminal inner medullary collecting ducts. *Gen Yasuda and William B. Jeffries* 80

CELL BIOLOGY – IMMUNOLOGY – PATHOLOGY

PAI-1 secretion and matrix deposition in human peritoneal mesothelial cell cultures: Transcriptional regulation by TGF-β1. *Jean-Philippe Rougier, Sophie Guia, Jacqueline Hagège, Geneviève Nguyen, and Pierre M. Ronco* 87

Pirfenidone improves renal function and fibrosis in the post-obstructed kidney. *Toshikatsu Shimizu, Takayuki Kuroda, Satoshi Hata, Masafumi Fukagawa, Solomon B. Margolin, and Kiyoshi Kurokawa* .. 99

Up-regulation of HSP47 in the mouse kidneys with unilateral ureteral obstruction. *Toshiki Moriyama, Noritaka Kawada, Akio Ando, Atsushi Yamauchi, Masaru Horio, Kazuhiro Nagata, Enyu Imai, and Masatsugu Hori* 110

Expression of decay accelerating factor mRNA and complement C3 mRNA in human diseased kidney. *Katsushige Abe, Masanobu Miyazaki, Takehiko Koji, Akira Furusu, Yoshiyuki Ozono, Takashi Harada, Hideto Sakai, Paul, K. Nakane, and Shigeru Kohno* 120

Contents continued on next page

Cloning of murine membrane-type-1-matrix metalloproteinase (MT-1-MMP) and its metanephric developmental regulation with respect to MMP-2 and its inhibitor. *Kosuke Ota, William G. Stetler-Stevenson, Qiwei Yang, Anil Kumar, Jun Wada, Naoki Kashihara, Elisabeth I. Wallner, and Yashpal S. Kanwar* 131

Local macrophage proliferation in human glomerulonephritis. *Niansheng Yang, Nicole M. Isbel, David J. Nikolic-Paterson, Youji Li, Rengao Ye, Robert C. Atkins, and Hui Y. Lan* 143

ION CHANNELS – MEMBRANE TRANSPORT – INTEGRATIVE PHYSIOLOGY

Characteristics of urea transport of cells derived from rabbit thick ascending limb of Henle's loop. *R. Willi Grunewald, Claudius H. Reisse, and Gerhard A. Müller* 152

Renal cortical mitochondrial aconitase is regulated in hypo- and hypercitraturia. *Joel Z. Melnick, Patricia A. Preisig, Orson W. Moe, Paul Srere, and Robert J. Alpern* 160

No net renal extraction of homocysteine in fasting humans. *Coen van Guldener, Ab J.M. Donker, Cornelis Jakobs, Tom Teerlink, Kees de Meer, Coen D.A. Stehouwer* 166

Concentrating defect in experimental nephrotic syndrome: Altered expression of aquaporins and thick ascending limb Na^+ transporters. *Patricia Fernández-Llama, Peter Andrews, Carolyn A. Ecelbarger, Søren Nielsen, and Mark A. Knepper* 170

Low Na^+ diet inhibits Na^+ and water transport response to vasopressin in rat cortical collecting duct. *James A. Schafer and Lu Chen, with the technical assistance of Beverly D. Corbitt* 180

VASCULAR BIOLOGY – HEMODYNAMICS – HYPERTENSION

Role of endothelin and nitric oxide imbalance in the pathogenesis of hypoxia-induced arterial hypertension. *Zhenmin Ni, Shahrooz Bemanian, Salah D. Kivlighn, and Nosratola D. Vaziri* 188

CLINICAL NEPHROLOGY – EPIDEMIOLOGY – CLINICAL TRIALS

Free pentosidine and neopterin as markers of progression rate in diabetic nephropathy. *Miriam F. Weiss, Roger A. Rodby, Amy C. Justice, Donald E. Hricik, and The Collaborative Study Group* 193

Serum homocysteine level and protein intake are related to risk of microalbuminuria: The Hoorn Study. *Ellen K. Hoogeveen, Pieter J. Kostense, Agnes Jager, Robert J. Heine, Cornelis Jakobs, Lex M. Bouter, Ab J.M. Donker, and Coen D.A. Stehouwer* (see Editorial, p. 281) 203

DIALYSIS – TRANSPLANTATION

Effect of hyperparathyroidism on arterial distensibility in renal transplant recipients. *Michael Barenbrock, Martin Hausberg, Markus Kosch, Klaus Kisters, Arnold P.G. Hoeks, and Karl-Heinz Rahn* . 210

Cyclosporine suppresses rat hepatic cytochrome P450 in a time-dependent manner. *Lane J. Brunner, William M. Bennett, and Dennis R. Koop* 216

Effect of alternative peritoneal dialysis solutions on cell viability, apoptosis/necrosis and cytokine expression in human monocytes. *Joerg Plum, Mohammad Reza Lordnejad, and Bernd Grabensee* (see Editorial, p. 283) 224

Immunologic function and survival in hemodialysis patients. *Paul L. Kimmel, Terry M. Phillips, Samuel J. Simmens, Rolf A. Peterson, Karen L. Weihs, Sylvan Alleyne, Illuminado Cruz, Jack A. Yanovski, and Judith H. Veis* 236

Psychosocial factors, behavioral compliance and survival in urban hemodialysis patients. *Paul L. Kimmel, Rolf A. Peterson, Karen L. Weihs, Samuel J. Simmens, Sylvan Alleyne, Illuminado Cruz, and Judith H. Veis* (see Editorial, p 285) 245

Diagnostic accuracy and prognostic value of combined dipyridamole-exercise thallium imaging in hemodialysis patients. *Michel Dahan, Béatrice M. Viron, Marc Faraggi, Dominique L. Himbert, Bruno J.J. Legallicier, Amir M. Kolta, Fabienne Pessione, Dominique Le Guludec, R. Gourgon, and Françoise Mignon* 255

Technical Note: On-line assessment of delivered dialysis dose. *Salvatore Di Filippo, Simeone Andrulli, Celestina Manzoni, Mauro Corti, and Francesco Locatelli* 263

TECHNICAL NOTES

The acu-men™: A new device for continuous renal replacement therapy in acute renal failure. *Markus Manns, Hans D. Polaschegg, Christian Schlaeper, Bernd Steinbach, and Hans G. Evering* 268

A simple procedure for the isolation of rat kidney lysosomes. *Akira Kawashima, Atsushi Sato, Megumi Kawashima, Kosaku Nitta, Wako Yumura, Nobuhiro Sugino, Hiroshi Nihei, and Yasuo Natori* 275

EDITORIALS

Mutational analysis of patients with cystinuria detected by a genetic screening network: Powerful tools in understanding the several forms of the disorder. *Russell W. Chesney* 279

From microalbuminuria to hyperhomocysteinemia. *Kilian Robinson and Vincent W. Dennis* 281

Dialysis fluids and monocytes: Suicide or murder? *J. John Cohen* 283

Nephrology's opportunity realized. *Norman B. Levy* 285

NEPHROLOGY FORUM

Obstructive nephropathy. *Saulo Klahr* 286

LETTERS TO THE EDITOR

Re: Kitamura et al: "Inhibition of *myo*-inositol transport causes acute renal failure with selective medullary injury in the rat." *Seymour Rosen, Helena Bits, David Darmon, Mayer Brezis, and Samuel Heyman* 301

Reply from Kitamura et al. *Atsushi Yamauchi, for the authors.* 302

Does occupational exposure to toxins increase albumin excretion rate? *Wolfgang Huber, Eberhard Ritz, and Danilo Fliser* 303

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 306

Awards and grants 310

Errata 311

Instructions for Authors on page xvii

KIDNEY INTERNATIONAL

Volume 54, Number 2, August 1998

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN RENAL MEDICINE

The clinical spectrum of tubulointerstitial nephritis. *Asghar Rastegar and Michael Kashgarian* 313

PERSPECTIVES IN BASIC SCIENCE

A primer on the genetics of hypertension. *Daniele Cusi and Giuseppe Bianchi* 328

GENETIC DISORDERS – DEVELOPMENT

A new model of diabetic nephropathy with progressive renal impairment in the transgenic (mRen-2)27 rat (TGR). *Darren J. Kelly, Jennifer L. Wilkinson-Berka, Terri J. Allen, Mark E. Cooper, Sandford L. Skinner* 343

HORMONES – CYTOKINES – SIGNALING

Renoprotective effect of contemporary blocking of angiotensin II and endothelin-1 in rats with membranous nephropathy. *Ariela Benigni, Daniela Corna, Raffaello Maffi, Giuditta Benedetti, Carla Zoja, and Giuseppe Remuzzi* (see Editorial, p. 646) 353

Complement activates phospholipases and protein kinases in glomerular epithelial cells. *Andrey V. Cybulsky, Joan Papillon, and Alison J. McTavish* 360

Fluorinated anesthetic exposure "activates" the renal cortical sphingomyelinase cascade. *Karen M. Lochhead and Richard A. Zager* 373

Possible role of c-Jun in transcription of the mouse renin gene. *Kouichi Tamura, Satoshi Umemura, Nobuo Nyui, Machiko Yabana, Yoshiyuki Toya, Akiyoshi Fukamizu, Kazuo Murakami, and Masao Ishii* 382

Dominant negative c-Src inhibits angiotensin II induced activation of NHE3 in OKP cells. *Hirohiko Tsuganezawa, Patricia A. Preisig and Robert J. Alpern* 394

CELL BIOLOGY – IMMUNOLOGY – PATHOLOGY

Role of enhanced ceramide generation in DNA damage and cell death in chemical hypoxic injury to LLC-PK_1 cells. *Norishi Ueda, Gur P. Kaushal, Xiaoman Hong, and Sudhir V. Shah* 399

Fibronectin synthesis by human tubular epithelial cells in culture: Effects of PDGF and TGF-β on synthesis and splicing. *Antje Bürger, Christof Wagner, Christiane Viedt, Bettina Reis, Friederike Hug, and Gertrud Maria Hänsch* 407

Role of intrinsic renal cells versus infiltrating cells in glomerular crescent formation. *Vuddhidej Ophascharoensuk, Jeffrey W. Pippin, Katherine L. Gordon, Stuart J. Shankland, William G. Couser, and Richard J. Johnson* 416

Cytotoxic effect of Shiga toxin-1 on human proximal tubule cells. *Alisa K. Hughes, Peter K. Stricklett, and Donald E. Kohan* (see Editorial, p. 648) 426

Immunocytochemical detection of advanced glycated end products in rat renal tissue as a function of age and diabetes. *Moïse Bendayan* 438

Strontium causes osteomalacia in chronic renal failure rats. *Iris Schrooten, Walter Cabrera, William G. Goodman, Simonne Dauwe, Ludwig V. Lamberts, Rita Marynissen, Walter Dorriné, Marc E. De Broe, and Patrick C. D'Haese* 448

ION CHANNELS - MEMBRANE TRANSPORT - INTEGRATIVE PHYSIOLOGY

Presence of immunoreactive α3 subunit isoform of Na,K-ATPase in mitochondria of kidney. *Chun Shia Chang, R. Gary Kirk, and Ping Lee* 457

Contents continued on next page

Rabbit distal convoluted tubule coexpresses NaCl cotransporter and 11β-hydroxysteroid dehydrogenase II mRNA. *Heino Velázquez, Aniko Náray-Fejes-Tóth, Teresa Silva, Eleanor Andújar, Robert F. Reilly, Gary V. Desir, and David H. Ellison* 464

VASCULAR BIOLOGY – HEMODYNAMICS – HYPERTENSION

Purinoceptors mediate renal vasodilation by nitric oxide dependent and independent mechanisms. *Lars Christian Rump, Vitus Oberhauser, and Ivar von Kügelgen* 473

Depressed renal and vascular nitric oxide synthase expression in cyclosporine-induced hypertension. *Nosratola D. Vaziri, Zhenmin Ni, Yan Ping Zhang, Ervin P. Ruzics, Pejman Maleki, and Yaoxian Ding* . 482

Corticosterone and 11-dehydrocorticosterone stimulate Na,K-ATPase gene expression in vascular smooth muscle cells. *Shigeaki Muto, Jun Nemoto, Satoru Ebata, Kiyoshi Kawakami, and Yasushi Asano* 492

CLINICAL NEPHROLOGY – EPIDEMIOLOGY – CLINICAL TRIALS

Antibody to streptococcal zymogen in the serum of patients with acute glomerulonephritis: A multicentric study. *Gustavo Parra, Bernardo Rodríguez-Iturbe, Stephen Batsford, Arnold Vogt, Sergio Mezzano, Fernando Olavarría, Ramón Exeni, María Laso, and Nelson Orta* 509

Impact of acute renal failure on mortality in end-stage liver disease with or without transplantation. *Donald S. Fraley, Renee Burr, Judy Bernardini, Derek Angus, David J. Kramer, and John P. Johnson* .. 518

Laparoscopic renal biopsy. *Luis F. Gimenez, Salvatore Micali, Roland N. Chen, Robert G. Moore, Louis R. Kavoussi, and Paul J. Scheel, Jr.* 525

Plasma α_2 macroglobulin is increased in nephrotic patients as a result of increased synthesis alone. *Monique G.M. de Sain-van der Velden, Ton J. Rabelink, Dirk-Jan Reijngoud, Mireille M. Gadellaa, Hieronymus A.M. Voorbij, Frans Stellaard, and George A. Kaysen* 530

A meta-analysis and morphological review of cyclosporine-induced nephrotoxicity in auto-immune diseases. *Sven B. Vercauteren, Jean-Louis Bosmans, Monique M. Elseviers, Gert A. Verpooten, and Marc E. De Broe* 536

DIALYSIS – TRANSPLANTATION

Clinical application of the Personal Dialysis Capacity (PDC) test: Serial analysis of peritoneal function in CAPD patients. *Hirokazu Imai, Ken Satoh, Hiroshi Ohtani, Keiko Hamai, Toshiyuki Haseyama, Atsushi Komatsuda, and Akira B. Miura* 546

Quantification of creatinine kinetic parameters in patients with acute renal failure. *William R. Clark, Bruce A. Mueller, Michael A. Kraus, and William L. Macias* 554

"U" curve association of blood pressure and mortality in hemodialysis patients. *Philip G. Zager, Jovanka Nikolic, Richard H. Brown, Marilyn A. Campbell, William C. Hunt, Darwin Peterson, John Van Stone, Andrew Levey, Klemens B. Meyer, Michael J. Klag, H. Keith Johnson, Eugene Clark, John H. Sadler, and Pradip Teredesai, for the Medical Directors of Dialysis Clinic, Inc.* 561

Interleukin-6, interleukin-8, and monocyte chemotactic peptide-1 gene expression and protein synthesis are independently modulated by hemodialysis membranes. *Giovanni Pertosa, Giuseppe Grandaliano, Loreto Gesualdo, Elena Ranieri, Raffaella Monno, and F. Paolo Schena* 570

Bioreactivity and biocompatibility of a vitamin E-modified multi-layer hemodialysis filter. *Francesco Galli, Simona Rovidati, Laura Chiarantini, Gianni Campus, Franco Canestrari, and Umberto Buoncristiani* 580

ICAM-1 antisense oligodesoxynucleotides prevent reperfusion injury and enhance immediate graft function in renal transplantation. *Duska Dragun, Stefan G. Tullius, Joon Keun Park, Christian Maasch, Ivo Lukitsch, Andrea Lippoldt, Volkmar Groß, Friedrich C. Luft, and Hermann Haller* 590

Effect of metabolic acidosis on insulin action and secretion in uremia. *Robert H.K. Mak* 603

Compositional and functional changes of low-density lipoprotein during hemodialysis in patients with ESRD. *Andreas Ambrosch, Ute Domroese, Sabine Westphal, Jutta Dierkes, Wolfgang Augustin, Klaus H. Neumann, and Claus Luley* 608

Angiotensin-converting enzyme gene polymorphism and reversibility of uremic left ventricular hypertrophy following long-term antihypertensive therapy. *Giuseppe Cannella, Ernesto Paoletti, Sergio Barocci, Fabio Massarino, Roberto Delfino, Giambattista Ravera, Giovanni Di Maio, Arcangelo Nocera, Pietro Patrone, and Davide Rolla* 618

C-reactive protein as an outcome predictor for maintenance hemodialysis patients. *William F. Owen and Edmund G. Lowrie* 627

Measurement of oxidation in plasma Lp(a) in CAPD patients using a novel ELISA. *Eugene A. Podrez, June O'Neil, Robert G. Salomon, Martin J. Schreiber, and Henry F. Hoff* 637

EDITORIALS

Angiotensin II and endothelin in chronic glomerulonephritis. *Donald E. Kohan* 646

Shiga toxin-induced tubular injury in HUS. *Bernard S. Kaplan* 648

NEPHROLOGY FORUM

Renal involvement in hepatitis C infection: Cryoglobulinemic glomerulonephritis. *Giuseppe D'Amico* 650

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 672

Awards and grants 676

Instructions for Authors on page xvii

KIDNEY INTERNATIONAL

Volume 54, Number 3, September 1998

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN RENAL MEDICINE

Analgesic use and chronic renal failure: A critical review of the epidemiologic literature. *Joseph K. McLaughlin, Loren Lipworth, Wong-Ho Chow, and William J. Blot* 679

PERSPECTIVES IN BASIC SCIENCE

Progression of glomerular diseases: Is the podocyte the culprit? *Wilhelm Kriz, Norbert Gretz, and Kevin V. Lemley* 687

GENETIC DISORDERS – DEVELOPMENT

CLCN5 chloride-channel mutations in six new North American families with X-linked nephrolithiasis. *Richard R. Hoopes, Jr., Paul A. Hueber, Robert J. Reid, Jr., Gregory L. Braden, Paul R. Goodyer, Andrew R. Melnyk, Julian P. Midgley, Donald I. Moel, Alicia M. Neu, Scott K. VanWhy, and Steven J. Scheinman* 698

A model of autosomal recessive Alport syndrome in English cocker spaniel dogs. *George E. Lees, R. Gayman Helman, Clifford E. Kashtan, Alfred F. Michael, Linda D. Homco, Nicholas J. Millichamp, Yoshifumi Ninomiya, Yoshikazu Sado, Ichiro Naito, and Youngki Kim* 706

Novel mutations in the thiazide-sensitive NaCl cotransporter gene in patients with Gitelman syndrome with predominant localization to the C-terminal domain. *Henny H. Lemmink, Nine V.A.M. Knoers, Lothar Károlyi, Henk van Dijk, Patrick Niaudet, Corinne Antignac, Lisa M. Guay-Woodford, Paul R. Goodyer, Jean-Claude Carel, Ad Hermes, Hansjörg W. Seyberth, Leo A.H. Monnens, and Lambert P.W.J. van den Heuvel* 720

HORMONES – CYTOKINES – SIGNALING

Expression of platelet-derived growth factor and its receptors in the developing and adult mouse kidney. *Ronald A. Seifert, Charles E. Alpers, and Daniel F. Bowen-Pope* 731

Paracrine stimulation of human renal fibroblasts by proximal tubule cells. *David W. Johnson, Heather J. Saunders, Robert C. Baxter, Michael J. Field, and Carol A. Pollock* (see Editorial, page 992) 747

Effects of C-peptide on renal function at the early stage of experimental diabetes. *Mats Sjöquist, Wan Huang, and Bo-Lennart Johansson* 758

α-Melanocyte-stimulating hormone inhibits renal injury in the absence of neutrophils. *Hsi Chiao, Yukimasa Kohda, Paul McLeroy, Leonard Craig, Stuart Linas, and Robert A. Star* 765

Angiotensin II induces superoxide anion production by mesangial cells. *Edgar A. Jaimes, Josep Maria Galceran, and Leopoldo Raij* 775

Molecular mechanism(s) of action of norepinephrine on the expression of the angiotensinogen gene in opossum kidney cells. *Tian-Tian Wang, Xiao-Hua Wu, Shao-Ling Zhang, and John S.D. Chan* ... 785

CELL BIOLOGY – IMMUNOLOGY – PATHOLOGY

Direct nucleation of calcium oxalate dihydrate crystals onto the surface of living renal epithelial cells in culture. *John C. Lieske, F. Gary Toback, and Sergio Deganello* 796

Inhibition of the matrix metalloproteinase system in a rat model of chronic cyclosporine nephropathy. *Carla Duymelinck, Jing-Ti Deng, Simonne E.H. Dauwe, Marc E. De Broe, and Gert A. Verpooten* 804

Immunohistochemical and serological evidence for the role of streptococcal proteinase in acute post-stroptococcal glomerulonephritis. *Gil A. Cu, Sergio Mezzano, Jason D. Bannan, and John B. Zabriskie* 819

Contents continued on next page

In situ analysis of C-C chemokine mRNA in human glomerulonephritis. *Paul Cockwell, Alexander J. Howie, Dwomoa Adu, and Caroline O.S. Savage* 827

IgA induced activation of human mesangial cells: Independent of FcαR1 (CD 89). *Steven C. Diven, Carlton R. Caflisch, Dianne K. Hammond, Paul H. Weigel, Janet A. Oka, and Randall M. Goldblum* . 837

Identification of oxidized low density lipoprotein in human renal biopsies. *Hyun Soon Lee and Young Sook Kim* (see Editorial, page 995) 848

Protection from renal ischemia-reperfusion injury by the 2-methylaminochroman U83836E. *Elena De Vecchi, Lorenzo Lubatti, Claudio Beretta, Stefano Ferrero, Paola Rinaldi, Marzia Galli Kienle, Rinaldo Trazzi, and Rita Paroni* 857

Tubular epithelial-myofibroblast transdifferentiation in progressive tubulointerstitial fibrosis in 5/6 nephrectomized rats. *Yee-Yung Ng, Tung-Po Huang, Wu-Chang Yang, Zheng-Ping Chen, An-Hang Yang, Wei Mu, David J. Nikolic-Paterson, Robert C. Atkins, and Hui Y. Lan* 864

ION CHANNELS – MEMBRANE TRANSPORT – INTEGRATIVE PHYSIOLOGY

Differential upregulation of rat Na-K-Cl cotransporter, rBSC1, mRNA in the thick ascending limb of Henle in different pathological conditions. *Rie Marumo, Sakiko Kaizuma, Shoji Nogae, Masayuki Kanazawa, Tokihisa Kimura, Takao Saito, Sadayoshi Ito, and Mitsunobu Matsubara* 877

Differential effects of calcium channel blockers on size selectivity of proteinuria in diabetic glomerulopathy. *Amy C. Smith, Robert Toto, and George L. Bakris* 889

NCX1 Na/Ca exchanger inhibition by antisense oligonucleotides in mouse distal convoluted tubule cells. *Kenneth E. White, Frank A. Gesek, Robert F. Reilly, and Peter A. Friedman* 897

CLINICAL NEPHROLOGY – EPIDEMIOLOGY – CLINICAL TRIALS

Intermittent calcitriol therapy in secondary hyperparathyroidism: A comparison between oral and intraperitoneal administration. *Isidro B. Salusky, Beatriz D. Kuizon, Thomas R. Belin, Jorge A. Ramirez, Barbara Gales, Gino V. Segre, and William G. Goodman* 907

Association of thin basement membrane nephropathy with hypercalciuria, hyperuricosuria and nephrolithiasis. *Manuel Praga, Miguel Angel Martínez, Amado Andrés, Raquel Alegre, Julia Vara, Enrique Morales, Juan Carlos Herrero, Olga Novo, and José Luis Rodicio* 915

Plasma calcium-oxalate saturation in children with renal insufficiency and in children with primary hyperoxaluria. *Bernd Hoppe, Markus J. Kemper, Arend Bökenkamp, and Craig B. Langman* 921

Smoking as a risk factor for end-stage renal failure in men with primary renal disease. *Stephan R. Orth, Axel Stöckmann, Christian Conradt, and Eberhard Ritz, in collaboration with M. Ferro, W. Kreusser, G. Piccoli, M. Rambausek, D. Roccatello, K. Schäfer, H.G. Sieberth, C. Wanner, B. Watschinger, and P. Zucchelli* 926

DIALYSIS – TRANSPLANTATION

Acute leptin regulation in end-stage renal failure: The role of growth hormone and IGF-1. *Denis Fouque, Laurent Juillard, Yves Lasne, Alba Tabakian, Martine Laville, Marie-Odile Joly, and Maurice Laville* (see Editorial, page 997) 932

Cyclosporine microemulsion increases drug exposure and reduces acute rejection without incremental toxicity in *de novo* renal transplantation. *Paul Keown and Detlef Niese, on behalf of the International Sandimmun Neoral Study Group* 938

CO_2 and gadopentetate dimeglumine as alternative contrast agents for malfunctioning dialysis grafts and fistulas. *David J. Spinosa, J. Fritz Angle, Klaus D. Hagspiel, Worthington G. Schenk, III, and Alan H. Mutsumoto* 945

Body composition in children receiving recombinant human growth hormone after renal transplantation. *Janusz Feber, Pierre Cochat, Jan Lebl, Hana Krásničanová, Jan Štěpán, Louis David, Pierre Braillon, Laure Bonnet, and Jan Janda* 951

Prevalence of histological β2-microglobulin amyloidosis in CAPD patients compared with hemodialysis patients. *Michel Jadoul, Christian Garbar, Raymond Vanholder, Jacques Sennesael, Catherine Michel, Annie Robert, Henri Noël, and Charles van Ypersele de Strihou* 956

Elevated neointimal endothelin-1 in transplantation-associated arteriosclerosis of renal allograft recipients. *Michael S. Simonson, Steven N. Emancipator, Thomas Knauss, and Donald E. Hricik* 960

Delayed graft function of more than six days strongly decreases long-term survival of transplanted kidneys. *Magali Giral-Classe, Maryvonne Hourmant, Diego Cantarovich, Jacques Dantal, Gilles Blancho, Pascal Daguin, Daria Ancelet, and Jean-Paul Soulillou* 972

Technical Note: Enhancement of convective transport by internal filtration in a modified experimental hemodialyzer. *Claudio Ronco, Giancarlo Orlandini MD, Alessandra Brendolan, Andrea Lupi, and Giuseppe La Greca* 979

Technical Note: Use of iohexol to quantify hemodialysis delivered and residual renal function. *Taqumpay Esmiraldo Tigcal Sacamay and W. Kline Bolton* 986

EDITORIALS

The tubulointerstitium in progressive renal disease. *Karl A. Nath* 992

Do oxidized lipoproteins contribute to glomerulosclerosis? *Hermann-Josef Gröne* 995

Uremic hyperleptinemia: Adaptive or maladaptive? *Samuel Dagogo-Jack* 997

LETTER TO THE EDITOR

Malnutrition and dialysis. *Marc A. Baltzan, Sr. and Ahmed S. Shoker* 999

NEPHROLOGY FORUM

Hypokinetic azotemic osteodystrophy. *Jorge B. Cannata-Andía* 1000

INVITED CONTRIBUTION

Toward global advancement of medicine: The International Society of Nephrology experience. *Jan J. Weening, Barry M. Brenner, John H. Dirks, and Robert W. Schrier* 1017

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 1022

Awards and grants 1026

Erratum 1027

Instructions for Authors on page ix

KIDNEY INTERNATIONAL

Volume 54, Supplement 67, September 1998

Renal Hemodynamics: Cellular and Molecular Determinants

Festschrift Honoring Klaus Thurau

Seeon Monastery, Bavaria

September 18–21, 1997

Table of contents

Introduction. *Detlef Schlöndorff, Dieter Häberle, and John M. Davis* S-1

CHARACTERISTICS OF THE RENAL VASCULATURE

Development and differentiation of endothelium. *Werner Risau* S-3

Origins and formation of microvasculature in the developing kidney. *Dale R. Abrahamson, Barry Robert, Deborah P. Hyink, Patricia L. St. John, and Thomas O. Daniel* S-7

Role of angiotensin in renal vascular development. *R. Ariel Gomez* S-12

Heterogeneous activation mechanisms in the renal microvasculature. *L. Gabriel Navar, Edward W. Inscho, John D. Imig, and Kenneth D. Mitchell* S-17

Localization and interactions of vasoactive peptide receptors in renomedullary interstitial cells of the kidney. *Jialong Zhuo, Rachael Dean, Christine Maric, Peter G. Aldred, Peter Harris, Daine Alcorn, and Frederick A.O. Mendelsohn* S-22

Structural and molecular dissection of the juxtaglomerular apparatus: New aspects for the role of nitric oxide. *Sebastian Bachmann and Ilse Oberbäumer* S-29

Identification of ceramide targets in interleukin-1 and tumor necrosis factor-α signaling in mesangial cells. *Josef Pfeilschifter and Andrea Huwiler* S-34

RENAL HEMODYNAMICS AND TGF

Tubuloglomerular feedback: New concepts and developments. *Jürgen Schnermann, Timothy Traynor, Tianxin Yang, Lois Arend, Yuning G. Huang, Ann Smart, and Josie P. Briggs* S-40

Characteristics of isolated perfused juxtaglomerular apparatus. *Sadayoshi Ito* S-46

Prostaglandins in macula densa function. *Raymond C. Harris, Jun-Ling Wang, Hua-Fang Cheng, Ming-Zhi Zhang, and James A. McKanna* S-49

Macula densa nitric oxide synthase: Expression, regulation, and function. *Christopher S. Wilcox, and William J. Welch* S-53

Ionic transport in macula densa cells. *Jean-Yves Lapointe, Anuar Laamarti, and P. Darwin Bell* ... S-58

Resetting protects efficiency of tubuloglomerular feedback. *Scott C. Thomson, Volker Vallon, and Roland C. Blantz* S-65

Tubuloglomerular feedback: Its physiological and pathophysiological significance. *Kiyoshi Kurokawa* S-71

HYPERTENSION, VASCULAR DISEASE

Role of angiotensin in the congenital anomalies of the kidney and urinary tract in the mouse and the human. *Elizabeth Yerkes, Hideki Nishimura, Youichi Miyazaki, Shinya Tsuchida, John W. Brock III, and Iekuni Ichikawa* S-75

Control of the renal renin system by local factors. *Charlotte Wagner, Boye L. Jensen, Bernhard K. Krämer, and Armin Kurtz* S-78

A genetic approach for studying the role of thromboxane A_2 in the kidney. *Dennis W. Thomas and Thomas M. Coffman* S-84

Contents continued on next page

Regulation of renal function by prostaglandin E receptors. *Matthew D. Breyer, YaHua Zhang, You-Fei Guan, Chuan-Ming Hao, Richard L. Hebert, and Richard M. Breyer* S-88

Physiological and pharmacological implications of AT_1 versus AT_2 receptors. *Oliver Chung, Hendrik Kühl, Monika Stoll, and Thomas Unger* S-95

Shear stress and the endothelium. *Barbara J. Ballermann, Alan Dardik, Eudora Eng, and Ailian Liu* S-100

Epithelial sodium channel regulatory proteins identified by functional expression cloning. *Véronique Vallet, Jean-Daniel Horisberger, and Bernard C. Rossier* S-109

A role for endothelin in the pathogenesis of hypertension: Fact or fiction? *Sara-Joan Pinto-Sietsma and Martin Paul* S-115

Myogenic effects enhance norepinephrine constriction: Inhibition by nitric oxide and felodipine. *Cor de Wit, Steffen-Sebastian Bolz, Jörg Kaas, and Ulrich Pohl* S-122

Pathophysiology of renal fluid retention. *Robert W. Schrier, Robert G. Fassett, Mamiko Ohara, and Pierre-Yves Martin* S-127

CELLULAR AND MOLECULAR ASPECTS OF RENAL DEVELOPMENT AND FUNCTION

Adaptation of Madin-Darby canine kidney cells to hypertonic medium: an electron microprobe analysis. *Stefan Borgmann, and Adolf Dörge* S-133

Cationic amino acid transporter mRNA expression in rat kidney and liver. *Anke Burger-Kentischer, Eva Müller, Hanns-Georg Klein, Andreas Schober, Wolfgang Neuhofer, and Franz-X. Beck* S-136

Video-imaging microfluorometry identifies α- and β-like cell types in Madin-Darby canine kidney monolayers. *Stephanie Ebner and Marcos Marin-Grez* S-139

Characteristics of sodium uptake across the basolateral membrane of oxyntic cells. *Michael Fritzenwanger, Ines Heid, and Adolf Dörge* S-143

Angiotensin-dependent gene expression in the developing rat kidney. *Karl F. Hilgers, Ellen S. Pentz, and R. Ariel Gomez* S-146

Chloride channels ClC-2 and ICln mRNA expression differs in renal epithelial ontogeny. *Stephan Huber, Gerald Braun, Bernd Schröppel, and Michael Horster* S-149

Pleiotropic effects of hepatocyte growth factor in proximal tubule involve different signaling pathways. *Peter M. Jehle, Sylvia Stracke, Friedlinde Ernst, Daniela R. Jehle, R. Willi Grunewald, Hermann Haller, and Frieder Keller* S-152

Effects of hypoxia on renin secretion and renal renin gene expression. *Bernhard K. Krämer, Theresia Ritthaler, Frank Schweda, Frieder Kees, Karin Schricker, Stephan R. Holmer, and Armin Kurtz* S-155

Detection of multiple vascular endothelial growth factor splice isoforms in single glomerular podocytes. *Matthias Kretzler, Bernd Schröppel, Monika Merkle, Stephan Huber, Peter Mundel, Michael Horster, and Detlef Schlöndorff* S-159

Influence of osmotic stress on heat shock proteins 25 and 72 in mouse mesangial cells. *Eva Müller, Anke Burger-Kentischer, Wolfgang Neuhofer, Andreas Schober, and Franz-X. Beck* S-162

Hypertonicity affects heat shock protein 27 and F-actin localization in Madin-Darby canine kidney cells. *Wolfgang Neuhofer, Eva Müller, Anke Burger-Kentischer, and Franz-X. Beck* S-165

Angiotensin II modulates cellular functions of podocytes. *Joachim Gloy, Anna Henger, Karl-Georg Fischer, Roland Nitschke, Markus Bleich, Peter Mundel, Peter Schollmeyer, Rainer Greger, and Hermann Pavenstädt* S-168

Reverse transcriptase-polymerase chain reaction study of anion exchanger-2 in canine tissues and different Madin-Darby canine kidney cell types. *Graham Prime, Stephanie Ebner, and Marcos Marin-Grez* S-171

Effect of ischemia on localization of heat shock protein 25 in kidney. *Andreas Schober, Anke Burger-Kentischer, Eva Müller, and Franz-X. Beck* S-174

Luminal signal in tubuloglomerular feedback: What about potassium? *Volker Vallon, Hartmut Osswald, Roland C. Blantz, and Scott Thomson* S-177

Influence of extracellular pH on intracellular pH in arterioles and skeletal muscle of spontaneously hypertensive and Wistar-Kyoto rats. *Pauline Wimberger, and Marcos Marin-Grez* S-180

Expression of the Na^+ *myo*-inositol cotransporter in the juxtaglomerular region. *Atsushi Yamauchi, Toshihiro Sugiura, Hiroshi Kitamura, Yasuko Matsuoka, Enyu Imai, and Masatsugu Hori* S-183

RENAL FAILURE AND CHRONIC RENAL DISEASE

Human glomerular structure under normal conditions and in isolated glomerular disease. *Adalbert Bohle, Bernhard Aeikens, Algund Eenboom, Ludger Fronholt, Wolf Rüdiger Plate, Jia-Cheng Xiao, Annette Greschniok, and Manfred Wehrmann* S-186

Different activation of mitogen-activated protein kinases in experimental proliferative glomerulonephritis. *Dirk Bokemeyer, Kelly E. Guglielmi, Ann McGinty, Andrey Sorokin, Elias A. Lianos, and Michael J. Dunn* S-189

Adenosine and extracellular volume in radiocontrast media-induced nephropathy. *Christiane M. Erley, N. Heyne, S. Rossmeier, T. Vogel, Teut Risler, and Hartmut Osswald* S-192

Insulin-like growth factor-I restores microvascular autoregulation in experimental chronic renal failure. *Jen-Jar Lin, Burkhard Tönshoff, Nathalie Bouriquet, Daniel Casellas, Frederick J. Kaskel, and Leon C. Moore* S-195

Endothelial vasoconstrictor prostanoids, vascular reactivity and acute renal failure. *Frank Ruschitzka, Sidney Shaw, Georg Noll, Matthias Barton, Egbert Schulz, Gerhard A. Müller, and Thomas F. Lüscher* S-199

Preventive strategies in endothelin-induced renal failure. *Matthias Hermann, Egbert Schulz, Frank Ruschitzka, and Gerhard Anton Müller* S-202

HYPERTENSION

Renal morphology in essential hypertension: analysis of 1177 unselected cases. *Adalbert Bohle, Manfred Wehrmann, Annette Greschniok, and Renate Junghans* S-205

Renovascular parathyroid hormone-related protein in spontaneously hypertensive rats: Dilator or trophic factor? *Nathalie Fiaschi-Taesch, Nicole Endlich, Thierry Massfelder, Karlhans Endlich, Andrew F. Stewart, and Jean-Jacques Helwig* S-207

Glomerulus number and blood pressure in the Prague hypertensive rat. *Helene Hellmann, John M. Davis, and Klaus Thurau* S-211

Sodium, angiotensin II, blood pressure and cardiac hypertrophy. *Trefor O. Morgan, Jean-Francois Aubert, and Qing Wang* S-213

Hypertension and impaired renal angiotensin II response in rats after chronic neuronal nitric oxide synthase inhibition. *A. Erik G. Persson, Anna Ollerstam, Max Salomonsson, and Christian Thorup* . S-216

VASCULAR REACTIVITY AND HEMODYNAMICS OF VARIOUS VASCULAR BEDS

Role of nitric oxide and thromboxane in the maintenance of cerebrovascular tone. *Zoltán Benyó, Christoph Görlach, and Michael Wahl* S-218

Effect of L-arginine on adrenal and renal blood flows during hemorrhage in cats. *Zoltán Benyó, Csaba Szabó, Csilla Csáki, Michael Wahl, Arisztid G. B. Kovách, and Péter Sándor* S-221

Endothelin-1-induced contraction in cerebral vessels mediated by phospholipase C/protein kinase C cascade. *Christoph Görlach, Zoltán Benyó, and Michael Wahl* S-224

Dilator effect of bradykinin and acetylcholine in cerebral vessels after brain lesion. *Christoph Görlach, Zoltán Benyó, and Michael Wahl* S-226

Control of rat glomerular microcirculation by juxtaglomerular adenosine A1 receptors. *Masahiko Kawabata, Tetsuya Ogawa, and Toshikazu Takabatake* S-228

The K_{ATP} channel opener nicorandil: Effect on renal hemodynamics in spontaneously hypertensive and Wistar Kyoto rats. *Tetsuya Kawata, Tomoko Mimuro, Takako Onuki, Ken Tsuchiya, Hiroshi Nihei, and Takao Koike* S-231

Role of eicosanoids in renal angiotensin II vasoconstriction during nitric oxide blockade. *Catherine Muller, Karlhans Endlich, and Jean-Jacques Helwig* S-234

Influence of ketanserin on experimental loss of renal blood flow autoregulation. *Marleen Verbeke, Johan Van de Voorde, Leo de Ridder, and Norbert Lameire* S-238

SODIUM METABOLISM

Is cerebral control of plasma [Na] a major determinant for systemic sodium balance? *Dieter A. Häberle, Wolfgang Biller, Takuyuki Ise, and Christian J. Metz.* S-242

Sodium balance and blood pressure response to salt ingestion in uninephrectomized rats. *Takuyuki Ise, Ken-ichi Kobayashi, Wolfgang Biller, and Dieter A. Häberle* S-245

KIDNEY INTERNATIONAL

Volume 54, Number 4, October 1998

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN RENAL MEDICINE

Hemodialysis access failure: A call to action. *Raymond Hakim and Jonathan Himmelfarb* 1029

PERSPECTIVES IN BASIC SCIENCE

Aquaporins in the kidney: Emerging new aspects. *Tadashi Yamamoto and Sei Sasaki* 1041

HORMONES – CYTOKINES – SIGNALING

Renal expression of transforming growth factor-β inducible gene-h3 (βig-h3) in normal and diabetic rats. *Richard E. Gilbert, Jennifer L. Wilkinson-Berka, David W. Johnson, Alison Cox, Tina Soulis, Leonard L. Wu, Darren J. Kelly, George Jerums, Carol A. Pollock, and Mark E. Cooper* (see Editorial, p. 1390) 1052

Selectivity of endotoxin-induced defect in endothelial calcium mobilization. *Jason G. Umans, Debra Salvi, Patrick T. Murray, and Mark E. Wylam* 1063

IGF-I binding proteins, IGF-I binding protein mRNA and IGF-I receptor mRNA in rats with acute renal failure given IGF-I. *Julien Bohé, Hu Ding, David P. Qing, Kyungwoo Yoon, Raimund Hirschberg, Grushenka H.I. Wolfgang, and Joel D. Kopple* 1070

Serotonin enhances the production of type IV collagen by human mesangial cells. *Masaya Kasho, Masakazu Sakai, Takayuki Sasahara, Yoshichika Anami, Takeshi Matsumura, Toru Takemura, Hirofumi Matsuda, Shozo Kobori, and Motoaki Shichiri* 1083

Shiga toxin-1 regulation of cytokine production by human proximal tubule cells. *Alisa K. Hughes, Peter K. Stricklett, and Donald E. Kohan* 1093

Transcriptional activation of transforming growth factor-β1 in mesangial cell culture by high glucose concentration. *Brenda B. Hoffman, Kumar Sharma, Yanqing Zhu, and Fuad N. Ziyadeh* 1107

CELL BIOLOGY – IMMUNOLOGY – PATHOLOGY

Shiga toxin 1 elicits diverse biologic responses in mesangial cells. *Matthias Simon, Thomas G. Cleary, James D. Hernandez, and Hanna E. Abboud* 1117

Potential role of hepatocyte growth factor in the maintenance of renal structure: Anti-apoptotic action of HGF on epithelial cells. *Yoshikage Yo, Ryuichi Morishita, Shigefumi Nakamura, Naruya Tomita, Kei Yamamoto, Atsushi Moriguchi, Kunio Matsumoto, Toshikazu Nakamura, Jitsuo Higaki, and Toshio Ogihara* (see Editorial, p. 1392) 1128

Therapeutic concentrations of cyclosporine A, but not FK506, increase P-glycoprotein expression in endothelial and renal tubule cells. *Ingeborg A. Hauser, Michael Koziolek, Ulrich Hopfer, and Frank Thévenod* 1139

Dietary salt regulates expression of Tamm-Horsfall glycoprotein in rats. *Wei-Zhong Ying and Paul W. Sanders* 1150

Contribution of tubular injury to loss of remnant kidney function. *Mehul Gandhi, Jean L. Olson, and Timothy W. Meyer* 1157

Distinct contribution of Fc receptors and angiotensin II-dependent pathways in anti-GBM glomerulonephritis. *Yusuke Suzuki, Isao Shirato, Ko Okumura, Jeffrey V. Ravetch, Toshiyuki Takai, Yasuhiko Tomino, and Chisei Ra* 1166

Regulation of smooth muscle α-actin expression and hypertrophy in cultured mesangial cells. *Leah A. Stephenson, Lisa B. Haney, Isa M. Hussaini, Larry R. Karns, and William F. Glass II* 1175

Contents continued on next page

Regulation of survival and death of mesangial cells by extracellular matrix. *Hitoshi Sugiyama, Naoki Kashihara, Yohei Maeshima, Kazunori Okamoto, Koichiro Kanao, Takashi Sekikawa, and Hirofumi Makino* 1188

ION CHANNELS – MEMBRANE TRANSPORT – INTEGRATIVE PHYSIOLOGY

Measurement of the kinetics of protein uptake by proximal tubular cells using an optical biosensor. *Hansa Thakkar, Peter A. Lowe, Christopher P. Price, David J. Newman* 1197

Mechanisms through which high glucose concentration raises $[Ca^{2+}]i$ in renal proximal tubular cells. *Margarita Symonian, Miroslaw Smogorzewski, Wojciech Marcinkowski, Ewa Krol, and Shaul G. Massry* 1206

Localization of the ROMK potassium channel to the apical membrane of distal nephron in rat kidney. *Yukimasa Kohda, Wei Ding, Em Phan, Ihsan Housini, Jin Wang, Robert A. Star, and Chou-Long Huang* 1214

Parathyroid hormone and dietary phosphate provoke a lysosomal routing of the proximal tubular Na/Pi-cotransporter type II. *Isabelle Keusch, Martin Traebert, Marius Lötscher, Brigitte Kaissling, Heini Murer, and Jürg Biber* 1224

Colonic H^+-K^+-ATPase is induced and mediates increased HCO_3^- reabsorption in inner medullary collecting duct in potassium depletion. *Suguru Nakamura, Hassane Amlal, John H. Galla, and Manoocher Soleimani* 1233

VASCULAR BIOLOGY – HEMODYNAMICS – HYPERTENSION

Nature of glomerular dysfunction in pre-eclampsia. *Richard A. Lafayette, Maurice Druzin, Richard Sibley, Geraldine Derby, Tahira Malik, Phil Huie, Catherine Polhemus, William M. Deen, and Bryan D. Myers* (see Editorial, p. 1394) 1240

Adenovirus-mediated kallikrein gene delivery reverses salt-induced renal injury in Dahl salt-sensitive rats. *Julie Chao, Jenny J. Zhang, Kuei-Fu Lin, and Lee Chao* 1250

Peripheral microvascular parameters in the nephrotic syndrome. *David M. Lewis, John E. Tooke, Martin Beaman, John Gamble, and Angela C. Shore* 1261

CLINICAL NEPHROLOGY – EPIDEMIOLOGY – CLINICAL TRIALS

Low leptin gene expression and hyperleptinemia in chronic renal failure. *Louise Nordfors, Fredrik Lönnqvist, Olof Heimbürger, Anders Danielsson, Martin Schalling, and Peter Stenvinkel* 1267

Circadian variations of renal sodium handling in patients with orthostatic hypotension. *Antoinette Pechère-Bertschi, Jürg Nussberger, Jérôme Biollaz, Marc Fahti, Eric Grouzmann, Trefor Morgan, Hans R. Brunner, and Michel Burnier* 1276

Effects of an ACE inhibitor/calcium antagonist combination on proteinuria in diabetic nephropathy. *George L. Bakris, Matthew R. Weir, Vincent DeQuattro, and F. Gilbert McMahon* 1283

Autoxidation products of both carbohydrates and lipids are increased in uremic plasma: Is there oxidative stress in uremia? *Toshio Miyata, Min-Xin Fu, Kiyoshi Kurokawa, Charles van Ypersele de Strihou, Suzanne R. Thorpe, and John W. Baynes* 1290

The multidimensional nature of renal disease: Rates and associations of albuminuria in an Australian Aboriginal community. *Wendy E. Hoy, John D. Mathews, David A. McCredie, David J. Pugsley, Beverly G. Hayhurst, Megan Rees, Emma Kile, Kate A. Walker, and Zhiqiang Wang* 1296

American Indian ancestry and risk factors for renal injury. *Bertram L. Kasiske, Stephen Rith-Najarian, Michele L. Casper, and Janet B. Croft* 1305

Effects of ribavirin on hepatitis C-associated nephrotic syndrome in four liver transplant recipients. *Hung-Patrick Pham, Cyrille Féray, Didier Samuel, Michèle Gigou, Daniel Azoulay, Valérie Paradis, Francis Ducret, Bernard Charpentier, Brigitte Debuire, and Antoinette Lemoine* 1311

Unfavorable course of minimal change nephrotic syndrome in children with intrauterine growth retardation. *Nina Zidar, Mojca Avguštin Čavić, Rajko B. Kenda, and Dušan Ferluga* 1320

Activation of both coagulation and fibrinolysis in childhood hemolytic uremic syndrome. *Chris Van Geet, Willem Proesmans, Jef Arnout, Jos Vermylen, and Paul J. Declerck* 1324

Technical Note: Detection of urinary tract infections by reduction of nitroblue tetrazolium. *Shannon D. Smith, Marcia A. Wheeler, and Robert M. Weiss* 1331

DIALYSIS – TRANSPLANTATION

Role of cytokines in the response to erythropoietin in hemodialysis patients. *Marian Goicoechea, Julio Martin, Patricia de Sequera, Juan A. Quiroga, Alberto Ortiz, Vicente Carreño, and Carlos Caramelo* ... 1337

Effects of estrogen replacement therapy on the lipoprotein profile in postmenopausal women with ESRD. *Elizabeth S. Ginsburg, Brian Walsh, Louise Greenberg, Deborah Price, Glenn M. Chertow, and William F. Owen, Jr.* ... 1344

Randomized comparison of triple therapy and antithymocyte globulin induction treatment after simultaneous pancreas-kidney transplantation. *Diego Cantarovich, Georges Karam, Magali Giral-Classe, Maryvonne Hourmant, Jacques Dantal, Gilles Blancho, Loïc Le Normand, and Jean-Paul Soulillou* ... 1351

N^{ϵ}-(carboxymethyl)lysine in blood from maintenance hemodialysis patients may contribute to dialysis-related amyloidosis. *Yoshihiro Motomiya, Nobuo Oyama, Hisahiko Iwamoto, Tomonori Uchimura, and Ikuro Maruyama* ... 1357

Outbreak of sterile peritonitis among continuous cycling peritoneal dialysis patients. *Alicia J. Mangram, Lennox K. Archibald, Mark Hupert, Jerome I. Tokars, L. Christine Silver, Patrick Brennan, Matthew Arduino, Sonya Peterson, Seaul Parks, Alicia Raymond, Margaret McCullough, Martha Jones, Allen Wasserstein, Sidney Kobrin, and William R. Jarvis* ... 1367

Estimation of peritoneal mass transport by three-pore model in children. *Franz Schaefer, Borje Haraldsson, Susanne Haas, Eva Simkova, Janusz Feber, and Otto Mehls* ... 1372

Serum total homocysteine concentration before and after renal transplantation. *Margret Arnadottir, Björn Hultberg, Jan Wahlberg, Bengt Fellström, and Emöke Dimény* ... 1380

TECHNICAL NOTE

Influence of hematocrit on the measurement of lipoproteins demonstrated by the example of lipoprotein(a). *Florian Kronenberg, Evi Trenkwalder, Martina F. Kronenberg, Paul König, Gerd Utermann, and Hans Dieplinger* ... 1385

EDITORIALS

Evidence that TGF-β1 should be a therapeutic target in diabetic nephropathy. *Wayne A. Border and Nancy A. Noble* ... 1390

Hepatocyte growth factor: Mesenchymal signal for epithelial homeostasis. *Jeffrey B. Kopp* ... 1392

The structure-function relationship in preeclampsia. *Arlene B. Chapman* ... 1394

NEPHROLOGY FORUM

Molecular pathogenesis of Bartter's and Gitelman's syndromes. *Ira Kurtz* ... 1396

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings ... 1410

Awards and grants ... 1411

Errata ... 1417

Instructions for Authors on page viii

KIDNEY INTERNATIONAL

Volume 54, Number 5, November 1998

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN RENAL MEDICINE

Complement regulatory proteins in glomerular diseases. *Masaomi Nangaku* 1419

PERSPECTIVES IN BASIC SCIENCE

Is complement a target for therapy in renal disease? *Peter W. Mathieson* 1429

GENETIC DISORDERS – DEVELOPMENT

Two novel 1α-hydroxylase mutations in French-Canadians with vitamin D dependency rickets type I. *Tadashi Yoshida, Toshiaki Monkawa, Harriet S. Tenenhouse, Paul Goodyer, Toshimasa Shinki, Tatsuo Suda, Shu Wakino, Matsuhiko Hayashi, and Takao Saruta* (see Editorial, p. 1762) 1437

Molecular cloning of *KS*, a novel rat gene expressed exclusively in the kidney. *Karl F. Hilgers, Shashi K. Nagaraj, Elena A. Karginova, Irina G. Kazakova, Robert L. Chevalier, Robert M. Carey, Ellen S. Pentz, and R. Ariel Gomez* 1444

Mild vitamin A deficiency leads to inborn nephron deficit in the rat. *Martine Lelièvre-Pégorier, José Vilar, Marie-Laure Ferrier, Evelyne Moreau, Nicole Freund, Thierry Gilbert, and Claudie Merlet-Bénichou* 1455

HORMONES – CYTOKINES – SIGNALING

Calcitriol modulates *in vivo* and *in vitro* cytokine production: A role for intracellular calcium. *Vincenzo Panichi, Stefano De Pietro, Brunella Andreini, Anna Maria Bianchi, Massimiliano Migliori, Daniele Taccola, Luca Giovannini, Ciro Tetta, and Roberto Palla* 1463

Ca^{2+} signaling induced by sphingosylphosphorylcholine and sphingosine 1-phosphate via distinct mechanisms in rat glomerular mesangial cells. *Peng-Fei Chen, Ting-Yu Chin, and Sheau-Huei Chueh* 1470

Immunolocalization of phospholipase C isoforms in rat kidney. *Janice P. Lea, Dilek Ertoy, Jennifer L. Hollis, Mario B. Marrero, and Jeff M. Sands* 1484

CELL BIOLOGY – IMMUNOLOGY – PATHOLOGY

Altered anionic GBM components in monoclonal antibody against slit diaphragm-injected proteinuric rats. *Yoshihide Fujigaki, Mitsumasa Nagase, Sumi Hidaka, Katsuyuki Matsui, Mikiko Shirai, Hitonari Nosaka, Hiroshi Kawachi, Fujio Shimizu, and Akira Hishida* 1491

Regulation of proximal tubular osteopontin in experimental hydronephrosis in the rat. *Jonathan R. Diamond, Robert Kreisberg, Ryan Evans, Thomas A. Nguyen, and Sharon D. Ricardo* 1501

Mycophenolate mofetil attenuates renal injury in the rat remnant kidney. *Clarice Kazue Fujihara, Denise Maria Avancini Costa Malheiros, Roberto Zatz, and Irene de Lourdes Noronha* 1510

Peroxynitrite formation and apoptosis in transgenic sickle cell mouse kidneys. *Norman Bank, Militza Kiroycheva, Fayyaz Ahmed, Gillian M. Anthony, Mary E. Fabry, Ronald L. Nagel, and Pravin C. Singhal* 1520

Decorin, biglycan and their endocytosis receptor in rat renal cortex. *Liliana Schaefer, Heinz Hausser, Martin Altenburger, Jana Ugorcakova, Christian August, Larry W. Fisher, Roland M. Schaefer, and Hans Kresse* 1529

Cultured human glomerular mesangial cells express the C5a receptor. *Michael Braun and Alvin E. Davis III* 1542

Experimental Goodpasture's syndrome in Wistar-Kyoto rats immunized with α3 chain of type IV collagen. *Mauro Abbate, Raghuram Kalluri, Daniela Corna, Naoto Yamaguchi, Robert T. McCluskey, Billy G. Hudson, Giuseppe Andres, Carla Zoja, and Giuseppe Remuzzi* 1550

Contents continued on next page

Role of cytochrome P-450 as a source of catalytic iron in cisplatin-induced nephrotoxicity. *Radhakrishna Baliga, Zhiwei Zhang, Mithra Baliga, Norishi Ueda, and Sudhir V. Shah* 1562

Targeting TGF-β overexpression in renal disease: Maximizing the antifibrotic action of angiotensin II blockade. *Harm Peters, Wayne A. Border, and Nancy A. Noble* 1570

Metal-catalyzed oxidation of extracellular matrix increases macrophage nitric oxide generation. *Joseph Mattana, Linda Margiloff, Larissa Chaplia, Andrew Chow, and Pravin C. Singhal* 1581

ION CHANNELS – MEMBRANE TRANSPORT – INTEGRATIVE PHYSIOLOGY

Inhibition of proximal convoluted tubule transport by dopamine. *Michel Baum and Raymond Quigley* 1593

Renal uptake and excretion of homocysteine in rats with acute hyperhomocysteinemia. *James D. House, Margaret E. Brosnan, and John T. Brosnan* 1601

Abnormal regulation of proximal tubule renin mRNA in the Dahl/Rapp salt-sensitive rat. *Julia E. Tank, Orson W. Moe, and William L. Henrich* 1608

Increased renal ANP synthesis, but decreased or unchanged cardiac ANP synthesis in water-deprived and salt-restricted rats. *Shyi-Jang Shin, Jin-Der Wen; I-Hsuan Chen, Feng-Jie Lai, Ming-Chia Hsieh, Tusty-Jiuan Hsieh, Mian-Shin Tan, and Juei-Hsiung Tsai* 1617

VASCULAR BIOLOGY – HEMODYNAMICS – HYPERTENSION

Endothelin release by rabbit proximal tubule cells: Modulatory effects of cyclosporine A, tacrolimus, HGF and EGF. *Cornelia Haug, Christian Grill, Alexandra Schmid-Kotsas, Adolf Gruenert, and Peter Michael Jehle* 1626

Endothelial cell adhesion molecule and PMNL response to inflammatory stimuli and AGE-modified fibronectin. *Gürkan Sengoelge, Manuela Födinger, Sonja Skoupy, Ilse Ferrara, Christa Zangerle, Michael Rogy, Walter H. Hörl, Gere Sunder-Plassmann, and Johannes Menzel* 1637

Racial differences in renal kallikrein excretion: Effect of the ovulatory cycle. *Mala T. Kailasam, Joseph A. Martinez, Justine H. Cervenka, Samuel S.C. Yen, Daniel T. O'Connor, and Robert J. Parmer* 1652

CLINICAL NEPHROLOGY – EPIDEMIOLOGY – CLINICAL TRIALS

Polymorphisms of angiotensin converting enzyme and plasminogen activator inhibitor-1 genes in diabetes and macroangiopathy. *Hideki Kimura, Fumitake Gejyo, Yoshiki Suzuki, Satoru Suzuki, Ryoichi Miyazaki, and Masaaki Arakawa* (See Editorial, p. 1765) 1659

Converting enzyme inhibition causes hypocitraturia independent of acidosis or hypokalemia. *Joel Z. Melnick, Patricia A. Preisig, Sharon Haynes, Charles Y.C. Pak, Khashayar Sakhaee, and Robert J. Alpern* 1670

Contribution of mast cells to the tubulointerstitial lesions in IgA nephritis. *Takashi Ehara and Hidekazu Shigematsu* 1675

DIALYSIS – TRANSPLANTATION

Incidence and outcome of *Staphylococcus aureus* bacteremia in hemodialysis patients. *Kieren A. Marr, LiKuo Kong, Vance G. Fowler, Ajay Gopal, Daniel J. Sexton, Peter J. Conlon, and G. Ralph Corey* .. 1684

Chronic renal replacement therapy in children: Which index is best for adequacy?. *Enrico Verrina, Alessandra Brendolan, Rosanna Gusmano, and Claudio Ronco* 1690

Plasma adrenomedullin during acute changes in intravascular volume in hemodialysis patients. *Francesca Mallamaci, Carmine Zoccali, Saverio Parlongo, Sebastiano Cutrupi, Giovanni Tripepi, and Maurizio Postorino* 1697

Persistent secondary hyperparathyroidism after renal transplantation. *Piergiorgio Messa, Chiara Sindici, Giuseppe Cannella, Valeria Miotti, Andrea Risaliti, Maria Gropuzzo, Pier Luigi Di Loreto, Fabrizio Bresadola, and Giuseppe Mioni* 1704

Change in access blood flow over time predicts vascular access thrombosis. *N. Roxana Neyra, T. Alp Ikizler, Richard E. May, Jonathan Himmelfarb, Gerald Schulman, Yu Shyr, and Raymond M. Hakim* . 1714

Long-term evolution of cardiomyopathy in dialysis patients. *Robert N. Foley, Patrick S. Parfrey, Gloria M. Kent, John D. Harnett, David C. Murray, and Paul E. Barre* 1720

Graft flow as a predictor of thrombosis in hemodialysis grafts. *Peter J. Bosman, Frans T.J. Boereboom, Bert C. Eikelboom, Hein A. Koomans, and Peter J. Blankestijn* 1726

Randomized long-term evaluation of bicarbonate-buffered CAPD solution. *Mariano Feriani, Judith Kirchgessner, Giuseppe La Greca, Jutta Passlick-Deetjen, and the Bicarbonate CAPD Cooperative Group* 1731

Technical Note: Initial results of a new access device for hemodialysis. *Nathan W. Levin, Paul M. Yang, David A. Hatch, Alan J. Dubrow, Nicolae S. Caraiani, Todd S. Ing, Vasant C. Gandhi, Althea Alto, Sylvia M. Davila, Frank R. Prosl, Hans D. Polaschegg, and Joseph Megerman* 1739

TECHNICAL NOTE

Measurement of cAMP-dependent protein kinase activity using a fluorescent-labeled Kemptide. *Lawrence J. Macala, John P. Hayslett, and Joan I. Smallwood* 1746

In vivo measurement of hemodialyzer fiber bundle volume: Theory and validation. *Nikolai M. Krivitski, Victor V. Kislukhin, John W. Snyder, David R. MacGibbon, Olga A. Kuznetsova, Adele M. Reasons, and Thomas A. Depner* 1751

COMMENTARY

Is there a third gene for autosomal dominant polycystic kidney disease? *Andrew D. Paterson and York Pei* 1759

EDITORIALS

Hereditary rickets revealed. *Anthony A. Portale and Walter L. Miller* 1762

Compound interest: ACE and PAI-1 polymorphisms and risk of thrombosis and fibrosis. *Agnes Fogo and Douglas E. Vaughan* 1765

LETTERS TO THE EDITOR

Role of thrombin in mesangial proliferative glomerulonephritis. *Yasunori Kitamoto, Takahisa Imamura, Hiroyoshi Fukui, and Kimio Tomita* 1767

Strong ion difference theory: More lessons from physical chemistry. *E. Wrenn Wooten* 1769

Reply to Dr. Wooten. *John A. Kellum* 1769

NEPHROLOGY FORUM

Calcium antagonists and renal disease. *Murray Epstein* 1771

ABSTRACTS

Korean Society of Nephrology 1785

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 1811

Awards and grants 1815

Withdrawal of authorship 1816

Instructions for Authors on page ix

KIDNEY INTERNATIONAL

Volume 54, Number 6, December 1998

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN RENAL MEDICINE

Treatment of acute renal failure. *Robert A. Star* 1817

PERSPECTIVES IN BASIC SCIENCE

Architectural patterns in branching morphogenesis in the kidney. *Qais Al-Awqati and Michael R. Goldberg* 1832

GENETIC DISORDERS - DEVELOPMENT

Genetic polymorphisms of the renin-angiotensin system and the outcome of focal segmental glomerulosclerosis in children. *Yaacov Frishberg, Rachel Becker-Cohen, David Halle, Elad Feigin, Bella Eisenstein, Raphael Halevy, Danny Lotan, Isam Juabeh, Nathan Ish-Shalom, Daniella Magen, Yigal Shvil, Levana Sinai-Treiman, and Alfred Drukker* 1843

Functional characterization of renal chloride channel, CLCN5, mutations associated with Dent's$_{Japan}$ disease. *Takashi Igarashi, Willy Günther, Takashi Sekine, Jun Inatomi, Hiroshi Shiraga, Shouri Takahashi, Junzou Suzuki, Noboru Tsuru, Toshio Yanagihara, Mitsunobu Shimazu, Thomas J. Jentsch, and Rajesh V. Thakker* 1850

Role of distinct type IV collagen networks in glomerular development and function. *Scott J. Harvey, Keqin Zheng, Yoshikazu Sado, Ichiro Naito, Yoshifumi Ninomiya, Robert M. Jacobs, Billy G. Hudson, and Paul S. Thorner* 1857

Platelet-activating factor acetylhydrolase gene mutation in Japanese nephrotic children. *Hong Xu, Kazumoto Iijima, Shunichi Shiozawa, Ryojiro Tanaka, Yuji Inoue, Taku Shirakawa, Kaoru Nishiyama, Masao Miwa, Hajime Nakamura, and Norishige Yoshikawa* 1867

HORMONES - CYTOKINES - SIGNALING

Sequential effects of high glucose on mesangial cell transforming growth factor-β1 and fibronectin synthesis. *Jong Hoon Oh, Hunjoo Ha, Mi Ra Yu, and Hi Bahl Lee* 1872

Growth of long bones in renal failure: Roles of hyperparathyroidism, growth hormone and calcitriol. *Cheryl P. Sanchez, Isidro B. Salusky, Beatriz D. Kuizon, Patricia Abdella, Harald Jüppner, and William G. Goodman* 1879

Differential induction of functional B1-bradykinin receptors along the rat nephron in endotoxin induced inflammation. *Maria E. Marin-Castaño, Joost P. Schanstra, Françoise Praddaude, João B. Pesquero, Jean-Louis Ader, Jean-Pierre Girolami, and Jean-Loup Bascands* 1888

Localization of the prostacyclin receptor in human kidney. *Martin Kömhoff, Britta Lesener, Kazuwa Nakao, Hannsjörg W. Seyberth, and Rolf M. Nüsing* 1899

AVPR2 variants and V2 vasopressin receptor function in nephrogenic diabetes insipidus. *Robert S. Wildin, David E. Cogdell, and Victoria Valadez* 1909

Angiotensin II-mediated expression of $p27^{Kip1}$ and induction of cellular hypertrophy in renal tubular cells depend on the generation of oxygen radicals. *Tete Hannken, Regine Schroeder, Rolf A.K. Stahl, and Gunter Wolf* (see Editorial, p. 2241) 1923

Contents continued on next page

CELL BIOLOGY - IMMUNOLOGY - PATHOLOGY

The plasma membrane-actin linking protein, ezrin, is a glomerular epithelial cell marker in glomerulogenesis, in the adult kidney and in glomerular injury. *Christian Hugo, Masaomi Nangaku, Stuart J. Shankland, Raimund Pichler, Katherine Gordon, Manuel R. Amieva, William G. Couser, Heinz Furthmayr, and Richard J. Johnson* 1934

Chemokine receptor (CCR5) expression in human kidneys and in the HIV infected macaque. *Frank Eitner, Yan Cui, Kelly L. Hudkins, David M. Anderson, Ann Schmidt, William R. Morton, and Charles E. Alpers* (see Editorial, p. 2243) 1945

Apoptosis and necrosis: Mechanisms of cell death induced by cyclosporine A in a renal proximal tubular cell line. *Edel Healy, Mark Dempsey, Christine Lally, and Michael P. Ryan* 1955

Expression of CD27 and ischemia/reperfusion-induced expression of its ligand Siva in rat kidneys. *Babu J. Padanilam, Andrew J.P. Lewington, and Marc R. Hammerman* 1967

Soluble latent membrane-type 1 matrix metalloprotease secreted by human mesangial cells is activated by urokinase. *Isabelle Kazes, Françoise Delarue, Jacqueline Hagège, Latifa Bouzhir-Sima, Eric Rondeau, Jean-Daniel Sraer, and Geneviève Nguyen* 1976

Effects of oral antihyperglycemic agents on extracellular matrix synthesis by mesangial cells. *Pedro Cortes, Bruce L. Riser, Kenichiro Asano, Alicia Rodríguez-Barbero, Robert G. Narins, and Jerry Yee* 1985

Strain differences rather than hyperglycemia determine the severity of glomerulosclerosis in mice. *Feng Zheng, Gary E. Striker, Ciro Esposito, Enrico Lupia, and Liliane J. Striker* 1999

Technical Note: Spontaneous apoptosis of podocytes in explanted glomeruli. *Yoshihisa Ishikawa and Masanori Kitamura* 2008

ION CHANNELS - MEMBRANE TRANSPORT - INTEGRATIVE PHYSIOLOGY

Renovascular adaptive changes in chronic hypoxic polycythemia. *C. Dennis Thron, Jian Chen, James C. Leiter, and Lo Chang Ou* 2014

Regulation of macula densa Na:H exchange by angiotensin II. *János Peti-Peterdi and P. Darwin Bell* . 2021

A theoretical four-compartment model to evaluate separate kidney technetium $^{99m}MAG_3$ kinetics in humans. *Giovanna Curti, Daniele DeMartini, Bruno Santaniello, Gioconda Taddei, and Giovanni F. Fresco* 2029

VASCULAR BIOLOGY - HEMODYNAMICS - HYPERTENSION

Nephroprotection by long-term ACE inhibition with ramipril in spontaneously hypertensive stroke prone rats. *Wolfgang Linz, Reinhard H.A. Becker, Bernward A. Schölkens, Gabriele Wiemer, Manfred Keil, and Karl Heinz Langer* 2037

Regulation of human renin gene promoter activity: A new negative regulatory region determines the responsiveness to TNFα. *Ling-Sing K. Chen, Michael P. Cuddy, and Lucille A. LaVallette* 2045

CLINICAL NEPHROLOGY - EPIDEMIOLOGY - CLINICAL TRIALS

Temporal relationships between hormonal and hemodynamic changes in early human pregnancy. *Arlene B. Chapman, William T. Abraham, Stacy Zamudio, Carolyn Coffin, Aicha Merouani, David Young, Ann Johnson, Fritz Osorio, Carol Goldberg, Lorna G. Moore, Thomas Dahms, and Robert W. Schrier* 2056

A simultaneous study of the metabolism of apolipoprotein B and albumin in nephrotic patients. *Thomas Demant, Christoph Mathes, Katja Gütlich, Andrea Bedynek, Hjalmar B. Steinhauer, Thomas Bosch, Christopher J. Packard, and Graham L. Warwick* 2064

An epidemic of proteinuria in Pima Indians with Type 2 diabetes mellitus. *Robert G. Nelson, Hal Morgenstern, and Peter H. Bennett* 2081

Effect of indomethacin on the renal response to angiotensin II receptor blockade in healthy subjects. *Anne F. Fricker, Jürg Nussberger, Susanne Meilenbrock, Hans R. Brunner, and Michel Burnier* 2089

Technical Note: Proteinuria selectivity index based upon α_2-macroglobulin or IgM is superior to the IgG based index in differentiating glomerular diseases. *Jan Tencer, Ole Torffvit, Hans Thysell, Bengt Rippe, and Anders Grubb* 2098

DIALYSIS - TRANSPLANTATION

Interleukin-1 receptor antagonist synthesis by peripheral blood mononuclear cells in hemodialysis patients. *V.S. Balakrishnan, Bertrand L. Jaber, Svetlozar N. Natov, Miguel Cendoroglo, Andrew J. King, Christopher H. Schmid, and Brian J.G. Pereira* 2106

Inhibition of intercellular adhesion molecule-1 with antisense deoxynucleotides prolongs renal isograft survival in the rat. *Duska Dragun, Ivo Lukitsch, Stefan G. Tullius, Yan Qun, Joon-Keun Park, Wolfgang Schneider, Friedrich C. Luft, and Hermann Haller* 2113

Prevention of peritonitis with disconnect systems in CAPD: A randomized controlled trial. *Francisco Monteón, Ricardo Correa-Rotter, Ramón Paniagua, Dante Amato, María Elena Hurtado, José Luis Medina, Roberto Mario Salcedo, Elvia García, Mario Matos, Julio Kaji, Roberto Vázquez, Alfonso Ramos, María Antonieta Schettino, and John Moran, for the Mexican Nephrology Collaborative Study Group* 2123

Secular trends in recombinant erythropoietin therapy among the U.S. hemodialysis population: 1990–1996. *Dennis J. Cotter, Mae Thamer, Paul L. Kimmel, and John H. Sadler* 2129

Effect of serum phosphate on parathyroid hormone secretion during hemodialysis. *Angel L.M. de Francisco, Maria A. Cobo, Maria A. Setien, Emilio Rodrigo, Gema F. Fresnedo, Maria T. Unzueta, Jose A. Amado, J. Carlos Ruiz, Manuel Arias, and Mariano Rodriguez* 2140

TECHNICAL NOTE: Abbreviated kinetic profiles in area-under-the-curve monitoring of cyclosporine therapy. *Flavio Gaspari, Norberto Perico, Orietta Signorini, Raffaele Caruso, and Giuseppe Remuzzi* .. 2146

SYMPOSIUM ON THE LONG-TERM PRESERVATION OF PERITONEAL MEMBRANE FUNCTION THE 3RD EUROPEAN PERITONEAL DIALYSIS MEETING

Edinburgh, Scotland, United Kingdom
April 5th–7th, 1998

Introduction. *Nicholas Topley, Norbert Lameire, Achim Jörres, Robin Winney, and John D. Williams* 2151

BASIC SCIENCE - BIOCOMPATIBILITY

Novel roles for chemokines and fibroblasts in interstitial fibrosis. *Cory M. Hogaboam, Matthew L. Steinhauser, Stephen W. Chensue, and Steven L. Kunkel* 2152

Response of the human peritoneal mesothelial cell to injury: An *in vitro* model of peritoneal wound healing. *Susan Yung and Malcolm Davies* 2160

Leukocyte migration across human peritoneal mesothelial cells is dependent on directed chemokine secretion and ICAM-1 expression. *Fu Keung Li, Andrew Davenport, Rachel L. Robson, Pius Loetscher, Robert Rothlein, John D. Williams, and Nicholas Topley* 2170

Biocompatibility and buffers: Effect of bicarbonate-buffered peritoneal dialysis fluids on peritoneal cell function. *Achim Jörres, Thorsten O. Bender, André Finn, Janusz Witowski, Sibylle Fröhlich, Gerhard M. Gahl, Ulrich Frei, Heiko Keck, and Jutta Passlick-Deetjen* 2184

Experimental models in peritoneal dialysis: A European experience. *Norbert Lameire, Wim Van Biesen, Mieke Van Landschoot, Tao Wang, Olof Heimbürger, Jonas Bergström, Bengt Lindholm, Liesbeth P.H. Hekking, Carin E.G. Havenith, and Robert H.J. Beelen* 2194

CLINICAL PERITONEAL DIALYSIS

What really happens to people on long-term peritoneal dialysis? *Simon J. Davies, Louise Phillips, Anne M. Griffiths, Lesley H. Russell, Patrick F. Naish, and Gavin I. Russell* 2207

Augmenting solute clearance in peritoneal dialysis. *Raymond T. Krediet, Caroline E. Douma, Rudolf W. van Olden, Marja M. Ho-dac-Pannekeet, and Dirk G. Struijk* 2218

Prevention of renal osteodystrophy in peritoneal dialysis. *Thomas Weinreich* 2226

What is the place of peritoneal dialysis in the integrated treatment of renal failure? *Gerald A. Coles and John D. Williams* 2234

EDITORIALS

The growing role for the cyclin kinase inhibitor $p27^{Kip1}$ in renal disease. *Stuart J. Shankland* 2241

Potential role for G-protein coupled receptors in HIV-associated nephropathy. *Mary Klotman* 2243

LETTERS TO THE EDITOR

Macrophage migration inhibitory factor in IgA nephropathy. *Yoshihiko Taniguchi, Noriaki Yorioka, Kazuomi Yamashita, Takao Masaki, and Michio Yamakido* 2245

NEPHROLOGY FORUM

The aging kidney. *Diego Rodríguez-Puyol* 2247

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 2266

Awards and grants 22xx

ACKNOWLEDGMENT OF CORPORATE SPONSORS 2272

ACKNOWLEDGMENT OF REVIEWERS 2273

KEYWORD INDEX 2279

AUTHOR INDEX 2290

Instructions for Authors on page ix

KIDNEY INTERNATIONAL

Volume 54, Supplement 68, December 1998

Hypertension and the Kidney

Table of contents

Introduction. *Fernando Valderrábano, José Luño, Jesús Egido, and Javier Díez* S-1

Overview. *Kiyoshi Kurokawa* S-2

VASCULAR DAMAGE IN HYPERTENSION

Differential actions of angiotensin-(1-7) in the kidney. *Mark C. Chappell, Debra I. Diz, Carla Yunis, and Carlos M. Ferrario* S-3

Role of vascular endothelial growth factor in the response to vessel injury. *M. Victoria Alvarez Arroyo, Carlos Caramelo, M. Angeles Castilla, Francisco R. González Pacheco, Olga Martín, and Javier Arias* S-7

Decreased excretion of nitrate and nitrite in essential hypertensives with renal vasoconstriction. *Milagros Sierra, Alvaro Gonzalez, Carlos Gomez-Alamillo, Ignacio Monreal, Enma Huarte, Antonio Gil, Angel Sanchez-Casajus, and Javier Díez* S-10

Angiotensin II, nitric oxide, and end-organ damage in hypertension. *Ahnaf Bataineh and Leopoldo Raij* S-14

CsA and FK506 up-regulate eNOS expression: Role of reactive oxygen species and AP-1. *Javier Navarro-Antolín, Octavio Hernández-Perera, Susana López-Ongil, Manuel Rodríguez-Puyol, Diego Rodríguez-Puyol, and Santiago Lamas* S-20

Cyclosporine A induces apoptosis in murine tubular epithelial cells: Role of caspases. *Alberto Ortiz, Corina Lorz, Marina Catalán, Arturo Ortiz, Santiago Coca, and Jesús Egido* S-25

Factors involved in the effects of losartan on endothelial dysfunction induced by aging in SHR. *Rosaura Maeso, Elena Rodrigo, Raquel Muñoz-García, Josefa Navarro-Cid, Luis M. Ruilope, Victoria Cachofeiro, and Vincente Lahera* S-30

MECHANISMS OF HYPERTENSIVE RENAL DAMAGE

Glomerular cell proliferation and apoptosis in uninephrectomized spontaneously hypertensive rats. *Ana M. Rodríguez-López, Olga Flores, Miguel A. Arévalo, José M. López-Novoa* S-36

Angiotensin III up-regulates genes involved in kidney damage in mesangial cells and renal interstitial fibroblasts. *Marta Ruiz-Ortega, Oscar Lorenzo, and Jesús Egido* S-41

Therapeutic implications and new perspectives for essential hypertension and renal damage. *Olga González-Albarrán, Rafael García Robles, and Luis M. Ruilope* S-46

Microalbuminuria in essential hypertension. *José L. Rodicio, C. Campo, and Luis M. Ruilope* S-51

Progression of renal failure and hypertensive nephrosclerosis. *Pietro Zucchelli and Alessandro Zuccalá* S-55

HYPERTENSION AND CHRONIC RENAL FAILURE

Hypertension as cause of end-stage renal disease: Lessons from international registries. *Fernando Valderrábano, Francisco Gómez-Campderá, and Elizabeth H.P. Jones* S-60

Hypertension in end-stage renal disease. *Manuel Martínez-Maldonado* S-67

Renal vascular disease in the elderly. *Francisco J. Gómez Campderá, José Luño, Soledad García de Vinuesa, and Fernando Valderrábano* S-73

Left ventricular hypertrophy in renal failure. *Kerstin Amann, Ivan Rychlik, Gabriel Miltenberger-Milteny, and Eberhard Ritz* S-78

Cardiovascular response to hemodialysis: The effects of uremia and dialysate buffer. *Manuel Jaraba, Alberto Rodríguez-Benot, Rafael Guerrero, Domingo del Castillo, Alejandro Martín-Malo, Mariano Rodríguez, and Pedro Aljama* S-86

Contents continued on next page

Blood pressure, left ventricular hypertrophy and long-term prognosis in hemodialysis patients. *Juan M. Lopez-Gomez, Eduardo Verde, and Rafael Perez-Garcia* S-92

Renal artery stenosis after kidney transplantation: Diagnostic and therapeutic approach. *Manuel Rengel, Gil Gomes-Da-Silva, Luis Incháustegui, José L. Lampreave, Ricardo Robledo, Antonio Echenagusia, José L. Vallejo, and Fernando Valderrábano* S-99

RENAL ASPECTS OF ANTIHYPERTENSIVE THERAPY

Angiotensin II receptor antagonists in hypertension. *Michel Burnier and Hans R. Brunner* S-107

Effects of antihypertensive therapy on progression of diabetic nephropathy. *José Luño, Soledad Garcia de Vinuesa, Francisco Gomez-Campdera, Inmaculada Lorenzo, and Fernando Valderrábano* . S-112

Comparison of losartan and amlodipine in renally impaired hypertensive patients. *Carlos Fernández-Andrade, Domenica Russo, Bjame Inversen, Pietro Zucchelli, Pedro Aranda, Luis Guerra, and Santos Casado* S-120

Evaluation of the Losartan in Hemodialysis (ELHE) Study. *R. Saracho, A. Martin-Malo, I. Martinez, P. Aljama, and J. Montenegro* S-125

Treatment of hypertension after renal transplantation: Long-term efficacy of verapamil, enalapril, and doxazosin. *Alberto Martínez-Castelao, Miquel Hueso, Verónica Sanz, Javier Rejas, Jeroni Alsina, and Josep M. Grinyó* S-130

Efficacy and safety of losartan in the treatment of hypertension in renal transplant recipients. *Domingo del Castillo, José María Campistol, Luis Guirado, Luis Capdevilla, Javier G. Martínez, Porfirio Pereira, Juan Bravo, and Rodrigo Pérez* S-135